


Dr.
Office
Patient Name

Phone #
Due Date by 5pm
Appt Date/Time / :
☐ AM ☐ PM



Enclosed with Case: ☐ Impressions ☐ Models ☐ Bite ☐ Photos ☐ Other:

Rx



☐ Finish ☐ Bisque Bake Try-in ☐ Metal Try-in ☐ Setup Try-in

Implant System Diameter



Shade



Signature

License # Date

Submission of this Rx constitutes agreement with limited warranty terms and conditions. See reverse for details.

Lab Use Only
Entry: Model:

Pontic Design



Lab Requests:

☐ Boxes ☐ Lab Slips
☐ Have a Technician Call

OCCLUSAL STAINING

☐ None ☐ Light ☐ Medium ☐ Dark

FINISHING LINE

☐ Porcelain Butt Joint Margin ☐ Buccal Metal Collar
☐ No Lingual Metal Collar

IF NO OCCLUSAL CLEARANCE

☐ Call Doctor ☐ Reduction Coping ☐ Spot Opposing

CROWN & BRIDGE RESTORATIONS

☐ PureZi (Monolithic Zirconia) ☐ Porcelain Fused to Metal
☐ CeraZi (Layered Zirconia) ☐ High Noble
☐ IPS e.max ☐ Noble Alloy
☐ IPS e.max - Veneers ☐ Non-Precious
☐ PMMA - Provisionals ☐ Full Gold Crown (62% Au)

IMPLANT PROSTHESIS

☐ Screw Retained - PFM ☐ Screw Retained - IPS e.max
☐ Screw Retained - Zirconia ☐ Cement Retained - Zirconia
☐ Screw Retained - PMMA ☐ Custom Ti Abutment*

*Restorations use a standard Ti Base unless indicated as Custom Ti Abutment or if implant placement, gingival height, and other factors require it. We will contact the office if any modifications are required.

NIGHTGUARD/RETAINER/SPORTSGUARD

☐ Upper ☐ Lower

☐ Hard ☐ Hard & Soft ☐ Soft
☐ +Ball Clasp

☐ Orthodontic Retainer
☐ Sportsguard Color

DENTURES

☐ Upper ☐ Lower

☐ Full Denture
☐ Premium Teeth
☐ Standard Teeth
☐ Immediate Denture
☐ Hard Reline ☐ Soft Reline
☐ Bite Block

PARTIALS

☐ Upper ☐ Lower

☐ Combo TCS + Metal
☐ Metal Frame + RPD
☐ TCS / Valplast
☐ Stay Plate
☐ Wired Clasp

FULL-ARCH IMPLANTS

☐ Upper ☐ Lower

☐ Zirconia Full-Arch Implant Prosthesis
☐ Screw Retained Hybrid Denture
☐ Locator Ti Bar Overdenture
☐ Locator Overdenture

MISC.

☐ Diagnostic Wax-up
☐ Custom Tray
☐ Study Models
☐ Anodization
☐ Gold
☐ Two-Tone